

Xtreme Turf is found in over 2,000 installations in over 90 countries. The system is installed over a suitable substrate in accordance with designs and specifications recommended by Act Global.

PRODUCT SPECIFICATIONS

CHARACTERISTICS	SPECIFICATIONS
YARN	Polyethylene with Exclusive 300/360 Micron Monofilament + 110 Micron Slit Film
FILM TYPE	MN Global (Monofilament) & FB Global (Slit Film)
PILE WEIGHT	42 oz/sy
DENIER	11,500 Monofilament + 10,000 FB (Slit Film)
PRIMARY BACKING WEIGHT	8 oz/sy
SECONDARY BACKING WEIGHT	20 oz/sy
TOTAL WEIGHT	70 oz/sy
PILE HEIGHT	2" or 50 mm
TUFTING GAUGE	3/8" or 1/2"
PRIMARY BACKING	Multi-Layer
SECONDARY BACKING	Polyurethane Coating
WIDTH	15'
PERFORATION	Yes
COLOR	Green only
USE	Multipurpose - football, baseball, softball, soccer, lacrosse, and others
INFILL	3 lbs Sand & 3 lbs SBR Rubber - Recommended 75% or greater than the pile height

*These are typical specifications, subject to standard manufacturing tolerances and customer options



Xtreme Turf is found in over 2,000 installations in over 90 countries. The system is installed over a suitable substrate in accordance with designs and specifications recommended by Act Global.

PRODUCT SPECIFICATIONS

CHARACTERISTICS	SPECIFICATIONS
YARN	Polyethylene with Exclusive 300/360 Micron Monofilament + 110 Micron Slit Film
FILM TYPE	MN Global (Monofilament) & FB Global (Slit Film)
PILE WEIGHT	46 oz/sy
DENIER	11,500 Monofilament + 10,000 FB (Slit Film)
PRIMARY BACKING WEIGHT	8 oz/sy
SECONDARY BACKING WEIGHT	20 oz/sy
TOTAL WEIGHT	74 oz/sy
PILE HEIGHT	2 1/4" or 57 mm
TUFTING GAUGE	3/8" or 1/2"
PRIMARY BACKING	Multi-Layer
SECONDARY BACKING	Polyurethane Coating
WIDTH	15'
PERFORATION	Yes
COLOR	Green only
USE	Multipurpose - football, baseball, softball, soccer, lacrosse, and others
INFILL	3.5 lbs Sand & 3.5 lbs SBR Rubber - Recommended 75% or greater than the pile height

*These are typical specifications, subject to standard manufacturing tolerances and customer options



Xtreme Turf is found in over 2,000 installations in over 90 countries. The system is installed over a suitable substrate in accordance with designs and specifications recommended by Act Global.

PRODUCT SPECIFICATIONS

CHARACTERISTICS	SPECIFICATIONS
YARN	Polyethylene with Exclusive 300/360 Micron Monofilament + 110 Micron Slit Film
FILM TYPE	MN Global (Monofilament) & FB Global (Slit Film)
PILE WEIGHT	50 oz/sy
DENIER	11,500 Monofilament + 10,000 FB (Slit Film)
PRIMARY BACKING WEIGHT	8 oz/sy
SECONDARY BACKING WEIGHT	20 oz/sy
TOTAL WEIGHT	70 oz/sy
PILE HEIGHT	2" or 50 mm
TUFTING GAUGE	3/8" or 1/2"
PRIMARY BACKING	Multi-Layer
SECONDARY BACKING	Polyurethane Coating
WIDTH	15'
PERFORATION	Yes
COLOR	Green only
USE	Multipurpose - football, baseball, softball, soccer, lacrosse, and others
INFILL	3 lbs Sand & 3 lbs SBR Rubber - Recommended 75% or greater than the pile height

*These are typical specifications, subject to standard manufacturing tolerances and customer options



Xtreme Turf is found in over 2,000 installations in over 90 countries. The system is installed over a suitable substrate in accordance with designs and specifications recommended by Act Global.

PRODUCT SPECIFICATIONS

CHARACTERISTICS	SPECIFICATIONS
YARN	Polyethylene with Exclusive 300/360 Micron Monofilament + 110 Micron Slit Film
FILM TYPE	MN Global (Monofilament) & FB Global (Slit Film)
PILE WEIGHT	52 oz/sy
DENIER	11,500 Monofilament + 10,000 FB (Slit Film)
PRIMARY BACKING WEIGHT	9 oz/sy
SECONDARY BACKING WEIGHT	26 oz/sy
TOTAL WEIGHT	87 oz/sy
PILE HEIGHT	2 1/4" or 57 mm
TUFTING GAUGE	3/8" or 1/2"
PRIMARY BACKING	Multi-Layer
SECONDARY BACKING	Polyurethane Coating
WIDTH	15'
PERFORATION	Yes
COLOR	Green only
USE	Multipurpose - football, baseball, softball, soccer, lacrosse, and others
INFILL	3.5 lbs Sand & 3.5 lbs SBR Rubber - Recommended 75% or greater than the pile height

*These are typical specifications, subject to standard manufacturing tolerances and customer options



Xtreme Turf is found in over 2,000 installations in over 90 countries. The system is installed over a suitable substrate in accordance with designs and specifications recommended by Act Global.

PRODUCT SPECIFICATIONS

CHARACTERISTICS	SPECIFICATIONS
YARN	Polyethylene with Exclusive 300/360 Micron Monofilament
FILM TYPE	MN Global (Monofilament)
PILE WEIGHT	46 oz/sy
DENIER	11,500 Monofilament
PRIMARY BACKING WEIGHT	8 oz/sy
SECONDARY BACKING WEIGHT	20 oz/sy
TOTAL WEIGHT	74 oz/sy
PILE HEIGHT	2 1/4" or 57 mm
TUFTING GAUGE	3/8" or 1/2"
PRIMARY BACKING	Multi-Layer
SECONDARY BACKING	Polyurethane Coating
WIDTH	15'
PERFORATION	Yes
COLOR	Green only
USE	Multipurpose - football, baseball, softball, soccer, lacrosse, and others
INFILL	3.5 lbs Sand & 3.5 lbs SBR Rubber - Recommended 75% or greater of the pile height

*These are typical specifications, subject to standard manufacturing tolerances and customer options



Xtreme Turf is found in over 2,000 installations in over 90 countries. The system is installed over a suitable substrate in accordance with designs and specifications recommended by Act Global.

PRODUCT SPECIFICATIONS

CHARACTERISTICS	SPECIFICATIONS
YARN	Polyethylene with Exclusive 300/360 Micron Monofilament
FILM TYPE	MN Global (Monofilament)
PILE WEIGHT	52 oz/sy
DENIER	11,500 Monofilament
PRIMARY BACKING WEIGHT	9 oz/sy
SECONDARY BACKING WEIGHT	26 oz/sy
TOTAL WEIGHT	87 oz/sy
PILE HEIGHT	2 1/4" or 57 mm
TUFTING GAUGE	3/8" or 1/2"
PRIMARY BACKING	Multi-Layer
SECONDARY BACKING	Polyurethane Coating
WIDTH	15'
PERFORATION	Yes
COLOR	Green only
USE	Multipurpose - football, baseball, softball, soccer, lacrosse, and others
INFILL	3.5 lbs Sand & 3.5 lbs SBR Rubber - Recommended 75% or greater of the pile height

*These are typical specifications, subject to standard manufacturing tolerances and customer options



Xtreme Turf is found in over 2,000 installations in over 90 countries. The system is installed over a suitable substrate in accordance with designs and specifications recommended by Act Global.

PRODUCT SPECIFICATIONS

CHARACTERISTICS	SPECIFICATIONS
YARN	Polyethylene with Exclusive 110 Micron Slit Film
FILM TYPE	FB Global (Slit Film)
PILE WEIGHT	42 oz/sy
DENIER	10,000 FB (Slit Film)
PRIMARY BACKING WEIGHT	8 oz/sy
SECONDARY BACKING WEIGHT	20 oz/sy
TOTAL WEIGHT	70 oz/sy
PILE HEIGHT	2" or 50 mm
TUFTING GAUGE	3/8" or 1/2"
PRIMARY BACKING	Multi-Layer
SECONDARY BACKING	Polyurethane Coating
WIDTH	15'
PERFORATION	Yes
COLOR	Green only
USE	Multipurpose - football, baseball, softball, soccer, lacrosse, and others
INFILL	3 lbs Sand & 3 lbs SBR Rubber - Recommended 75% or greater of the pile height

*These are typical specifications, subject to standard manufacturing tolerances and customer options



Xtreme Turf is found in over 2,000 installations in over 90 countries. The system is installed over a suitable substrate in accordance with designs and specifications recommended by Act Global.

PRODUCT SPECIFICATIONS

CHARACTERISTICS	SPECIFICATIONS
YARN	Polyethylene with Exclusive 110 Micron Slit Film
FILM TYPE	FB Global (Slit Film)
PILE WEIGHT	46 oz/sy
DENIER	10,000 FB (Slit Film)
PRIMARY BACKING WEIGHT	8 oz/sy
SECONDARY BACKING WEIGHT	20 oz/sy
TOTAL WEIGHT	74 oz/sy
PILE HEIGHT	2 1/4" or 57 mm
TUFTING GAUGE	3/8" or 1/2"
PRIMARY BACKING	Multi-Layer
SECONDARY BACKING	Polyurethane Coating
WIDTH	15'
PERFORATION	Yes
COLOR	Green only
USE	Multipurpose - football, baseball, softball, soccer, lacrosse, and others
INFILL	3.5 lbs Sand & 3.5 lbs SBR Rubber - Recommended 75% or greater of the pile height

*These are typical specifications, subject to standard manufacturing tolerances and customer options





MULTIPLAY

TurfScape's Multiplay product features an industry-leading combination recreation and leisure product construction that provides the beauty of landscaping in a variety of applications. This is TurfScape's most versatile product and softest low-cut grass!

TurfScape is manufactured by a leading, USA-based synthetic turf company (Act Global) with sales in 90 countries and turf brand found in NFL and NCAA facilities. Your land and property is valuable – invest in the strength and security of Act Global AND support American jobs!



**EXTREME
DURABILITY**

Recommended Applications	High traffic conditions, pool sides, playgrounds, rooftops, pets, school yards, commercial landscaping and indoor sports facilities
Colors	Four colors in total for a natural blend: Primary yarn - field and lime green Thatch yarn - fresh green and tan
Warranty	Industry leading, 15 Year Limited Manufacturer's Warranty - guaranteed workmanship, UV stability, water/heat/frost resistance, grab-tear strength, drainage, grass yarn melt points and chemical and environmental regulations. *
Environmental	Meets EN71-3 (European Toy Standard) and EPA/RCRA regulations for toxic waste and heavy-metals -- guaranteed! *
ADA Compliance	Pass

Product Specifications

CHARACTERISTICS	SPECIFICATIONS
Grass Yarn	Monofilament with thatch (UV stability included and guaranteed! *)
Grass Yarn Denier	12,800 total
Pile Height	1 1/8" tall
Grass Yarn Face Weight	60 oz/sy
Tufting Gauge	3/8 inch
Processing	USA
Primary Backing	UV stabilized, multi-layer woven polypropylene - grab tear strength guaranteed! *
Reinforcement Coating	20 oz/sy of high-grade polyurethane
Drainage Rates	40 inches per hour - guaranteed! *
Melting Point	Over 220° F - guaranteed! *
Water, Heat and Frost Resistance	Yes - guaranteed! *
Standard Roll Size	15 feet wide by 100 feet long
Recommended Infill	Approximately 2 pounds per square foot for landscaping use

*** See 15 Year Limited Warranty for detailed terms and conditions**

Above product specifications are subject to change without notice and include a typical 10% manufacturing tolerance



MULTIPLAY PRO

TurfScape's Multiplay Pro product features an industry-leading product construction that combines recreation and leisure. A 3mm pad makes it the perfect solution for indoor sports, recreation and play areas. The strength and durability of Multiplay combined with a shock absorbing pad creates a comfortable, safe and versatile surface.

TurfScape is manufactured by a leading, USA-based synthetic turf company (Act Global) with sales in 90 countries and turf brand found in NFL and NCAA facilities. Your land and property is valuable – invest in the strength and security of Act Global AND support American jobs!



Recommended Applications	High traffic conditions, indoor sports facilities, weightlifting/agility/training areas, indoor dog agility, batting cages and indoor play areas
Colors	Four colors in total for a natural blend: Primary yarn - field and lime green Thatch yarn - fresh green and tan
Warranty	Industry leading, 15 Year Limited Manufacturer's Warranty - guaranteed workmanship, UV stability, water/heat/frost resistance, grab-tear strength, drainage, grass yarn melt points and chemical and environmental regulations. *
Environmental	Meets EN71-3 (European Toy Standard) and EPA/RCRA regulations for toxic waste and heavy-metals – guaranteed! *

Product Specifications

CHARACTERISTICS	SPECIFICATIONS
Grass Yarn	Monofilament with thatch (UV stability and W-shape blade technology included) - UV guaranteed! *
Grass Yarn Denier	12,800 total
Pile Height	1 1/8" tall
Grass Yarn Face Weight	50 oz/sy
Tufting Gauge	3/8 inch
Processing	USA
Primary Backing	UV stabilized, multi-layer woven polypropylene - grab tear strength guaranteed! *
Reinforcement Coating	60 oz/sy of 3mm polyurethane foam padding
Drainage Rates	40 inches per hour - guaranteed! *
Melting Point	Over 220° F
Water, Heat and Frost Resistance	Yes - guaranteed! *
Standard Roll Size	15 feet wide by 100 feet long
Recommended Infill	(Optional) Approximately 2 pounds per square foot
Total Weight	110 oz/sy
Pad	3mm

* See 15 Year Limited Warranty for detailed terms and conditions

Above product specifications are subject to change without notice and include a typical 10% manufacturing tolerance

TURFSCAPE™



NATURAL

Turfscapes' Natural product features an industry-leading, W-shaped grass yarn technology that mimics the beauty of natural grass blades while standing upright for long-term enjoyment.

Turfscapes is manufactured by a leading, USA-based synthetic turf company (Act Global) with sales in 90 countries and turf brand found in NFL and NCAA facilities. Your land and property is valuable – invest in the strength and security of Act Global AND support American jobs!



**W-SHAPED GRASS
YARN TECHNOLOGY**

Recommended Applications	Moderate traffic conditions, families and pets
Colors	Four colors in total for a natural blend: Primary yarn - field and olive green Thatch yarn - fresh green and tan
Warranty	Industry leading, 15 Year Limited Manufacturer's Warranty - guaranteed workmanship, UV stability, water/heat/frost resistance, grab-tear strength, drainage, grass yarn melt points and chemical and environmental regulations. *
Environmental	Meets EN71-3 (European Toy Standard) and EPA/RCRA regulations for toxic waste and heavy-metals – guaranteed! *

Product Specifications

CHARACTERISTICS	SPECIFICATIONS
Grass Yarn	Monofilament with thatch (UV stability and W-shape blade technology included) - UV guaranteed! *
Grass Yarn Denier	14,400 total
Pile Height	1 3/4" tall
Grass Yarn Face Weight	60 oz/sy
Tufting Gauge	3/8 inch
Processing	USA
Primary Backing	UV stabilized, multi-layer woven polypropylene - grab tear strength guaranteed! *
Reinforcement Coating	20 oz/sy of high-grade polyurethane
Drainage Rates	40 inches per hour - guaranteed! *
Melting Point	Over 220° F - guaranteed! *
Water, Heat and Frost Resistance	Yes - guaranteed! *
Standard Roll Size	15 feet wide by 100 feet long
Recommended Infill	Approximately 2 pounds per square foot for landscaping use

*** See 15 Year Limited Warranty for detailed terms and conditions**

Above product specifications are subject to change without notice and include a typical 10% manufacturing tolerance

TURFSCAPE™



FLEX

Turfcape's Flex is a beautiful and full looking product that is packed with four different primary yarn fibers. It includes two W-Blades in field/olive green and two Diamond blades in lime/hunter green. The end result is an exceptionally photogenic landscape system that looks real, feels soft and is incredibly durable.

Turfcape is manufactured by a leading, USA-based synthetic turf company (Act Global) with sales in 90 countries and turf brand found in NFL and NCAA facilities. Your land and property is valuable – invest in the strength and security of Act Global AND support American jobs!



**2 BLADE
COMBINATION
(4 COLORS)**

Recommended Applications	Moderate/high traffic conditions, playgrounds, pets and commercial use
Colors	Four primary colors for a natural blend: 2 W-Blade in field/olive green 2 Diamond Blade in lime/hunter green 2 Thatch Yarn in fresh green and tan
Warranty	Industry leading, 15 Year Limited Manufacturer's Warranty - guaranteed workmanship, UV stability, water/heat/frost resistance, grab-tear strength, drainage, grass yarn melt points and chemical and environmental regulations. *
Environmental	Meets EN71-3 (European Toy Standard) and EPA/RCRA regulations for toxic waste and heavy-metals – guaranteed! *

Product Specifications

CHARACTERISTICS	SPECIFICATIONS
Grass Yarn	Monofilament with thatch (UV stability and W-shape blade technology included) - UV guaranteed! *
Grass Yarn Denier	14,400 total
Pile Height	1 1/2" tall
Grass Yarn Face Weight	48 oz/sy
Tufting Gauge	3/8 inch
Processing	USA
Primary Backing	UV stabilized, multi-layer woven polypropylene - grab tear strength guaranteed! *
Reinforcement Coating	20 oz/sy of high-grade polyurethane
Drainage Rates	40 inches per hour - guaranteed! *
Melting Point	Over 220° F - guaranteed! *
Water, Heat and Frost Resistance	Yes - guaranteed! *
Standard Roll Size	15 feet wide by 100 feet long
Recommended Infill	Approximately 2 pounds per square foot for landscaping use

*** See 15 Year Limited Warranty for detailed terms and conditions**

Above product specifications are subject to change without notice and include a typical 10% manufacturing tolerance